



**Reflection POS®
For Retail**

SPT-7650



Beer / Liquor Stores



Tobacco / Wine / Small Grocery Stores



Convenience Stores / Dollar Stores / Gift Shops



Hardware, Paint or General Retail Stores

NCC Reflection POS® Highly Integrated Touch Screen Terminal



The fully integrated SAM4s SPT-7650 POS terminal features a true flat display and includes an integrated touch screen, card reader, power supply, thermal printer, and can be configured with an available integrated barcode scanner. With a footprint only 10½" wide by 12" deep the SPT-7650 is ideal for POS applications where counter space is at a premium such as concession stands and delis.

- Braswell Intel® Celeron N3160 **Quad Core 2.24GHz Fanless Processor**
- Projected Capacitive Touch (PCT) – PCT is Inherently Faster, More Reliable and Robust
- Solid State Drive
- Vivid LED Backlight for Reliability and Energy Savings
- Standard Integrated Thermal Receipt Printer and MCR
- Optional Integrated Barcode Scanner
- Optional 2 Line VFD Integrated Customer Display
- Optional 7", 9.7" or 15" LCD Integrated Customer Displays (NCC Reflection POS For Windows Only)
- Integrated Power Supplies



Graphic screens guide operators with minimal training. Condiments, flavors, instructions and options can be placed upon one key. When an item is registered, a specific key displays the options available for the item.

Powerful NCC Reflection POS® Software Features

- Up to 30,000 Products
- Product Scanning
- Coupon Scanning
- Link PLU/High-Cone
- Member/Non-Member Pricing
- Mix & Match
- Not Found PLU
- Item Countdown with Automatic 86
- Ounce/Pound Scale Interface
- Time of Day / Day of Week Pricing
- Drivers License Birthdate Verification
- Price Check Function
- Customer Rewards
- Customer Charge Accounts
- Integrated Credit / Debit / Gift / EBT
- Inventory Control
- Labor Scheduling and Time & Attendance
- Self-Healing, Fully Data-Redundant Network
- Online Ordering Option
- Delivery
- Available Loyalty Module
- Food Stamp Sorting and Tendering
- End-of-Day Data Sent to a Corporate FTP Site
- Interface to Optional Insight BackOffice™ Software

No Single Point of Failure

NCC Reflection POS is equipped with the most sophisticated, terminal-redundant network on the market. Using the integrated high-speed Ethernet, all system information is replicated on every terminal across the TCP/IP network. If a terminal is removed from the LAN, all information is automatically synchronized when the terminal re-enters the network.

Inventory

An integrated inventory system accurately tracks product usage. Item count down feature can signal the manager that a particular product is no longer available, while inventory reports provide usage details and cost information.

Built in Time Clock

Using the available time clock feature, NCC Reflection POS will help managers capture the valuable information necessary to control labor costs. Employee clock in/out procedures can either be performed by numeric entry, magnetic card or digital I-Button. Security levels assigned by job codes provide the controls necessary to access POS functions. Detailed time clock reports will provide employee punch time data with accumulated pay period totals, as well as additional reports to provide critical labor to sales information.

Programming

With NCC Reflection POS, no back office PC is required to make changes or additions to the system tables. All item, employee, screen design, etc., changes may be performed directly on the POS terminal in an easy to use programming mode using an on screen touch keyboard. Changes are accomplished easily and are immediately available to all stations in the POS system.

Extensive Reporting

NCC Reflection POS has a wide range of real time reports. Reports can be obtained locally at each station or on

the back room PC if equipped with the optional PC Workstation software. Report data can also be exported and communicated via FTP push or poll methods for use with other reporting solutions. Detailed information can be obtained by station, system, revenue center, user and many more.

NCC Reflection POS® Certifications



NCC Reflection POS is validated by an independent Qualified Security Assessor to meet or exceed PCI requirements for card payment processing.




NCC Reflection POS is also validated by National Weights and measures to meet requirements for integrated electronic scales.


SPT-7650 Features and Specifications

The SPT-7650 highly integrated touch screen terminal is the ideal host for NCC Reflection POS™ Software. The high performance terminal features the powerful Braswell Intel Celeron N3160 Quad-Core CPU to reliably and efficiently power demanding POS applications in general stores, liquor stores, small grocery, discount stores and convenience stores. The SPT-7650 BIOS is specifically configured for optimum performance with NCC Reflection POS Software.

SPT-7650 NCC Reflection POS® Highly Integrated Terminal



An integrated inventory system accurately tracks product usage.



No back office PC is required to make changes or additions to the system tables.

Choose the platform that best suits your business...

NCC Reflection POS® Embedded

The Embedded Reflection application runs on an embedded real-time operating system. Because Windows™ is not deployed, you have the security of knowing that your staff is unable to open the Internet on your POS station, run other applications or inadvertently load viruses or spyware. Your NCC embedded application is installed on an SSD, not a hard disk drive, providing additional speed and exceptional reliability. For unprecedented savings, security, reliability and redundancy, NCC Reflection POS Embedded is the preferred NCC platform.



NCC Reflection POS® For Windows

The same reliable Reflection application can be installed on a Windows™ operating system platform. Reflection for Windows allows the possibility of running applications other than NCC, performing remote file maintenance, or using Datacap Systems NETePay™ rather than a Datacap Tran™ device. The Reflection Windows™ version will also support an optional rear LCD customer display screen as well as other standard Windows peripherals. Consult with your NCC Reseller to determine which Reflection operating system platform is best suited to your needs.



The attractive, powerful SAM4s SPT-7650 is ideal for installations where space is at a premium and customer facing applications including retail scanning and many more like these:

- Airport Kiosks / Mall Kiosks
- Amusement Parks
- Apparel & Accessory Shops
- Aquariums
- Arcades
- Auto Parts / Auto Tire Stores
- Bakeries
- Barber & Beauty Shops
- Bars, Taverns & Nightclubs
- Boat Supplies
- Book Stores
- Boutiques
- Bowling Alleys
- Bicycle Sales & Service
- Camera/Photo Supply
- Candy Nut & Confectionery
- Car Washes
- Carnivals / Festivals
- Children & Infant Ware
- Chinese Restaurant/ Carry-out
- Clothing Rental
- Coffee/Cappuccino Shops
- Concessions
- Convenience Stores
- Cosmetic Stores
- Craft Shops
- Delicatessens
- Dentists
- Drug Stores & Pharmacies
- Dry Cleaners
- Ethnic Markets
- Eyeglasses/Vision Centers
- Family Restaurants
- Flea Markets
- Flower Shops
- Gas Stations
- Gift, Card, & Novelty
- Glass, Paint & Wallpaper Stores
- Golf Courses
- Hardware Stores
- Health & Beauty Spas / Hair Care
- Hobby Toys and Game Shops
- Hot Dog Stands
- Ice Cream/Soft Serve/ Yogurt
- Landscaping Services
- Liquor/Beer/Wine Stores
- Lumber & Building Materials
- Marinas, Marine Service & Sales
- Medical Offices
- Men's/Boy's Clothing
- Movie Theatres
- Music & Instruments
- News Dealers & Newsstands
- Nursery, Lawn & Garden
- Orchards
- Pet Shops
- Photography Studios
- Plumbing & Heating Equipment
- Quick Service/Fast Food Rest.
- Record/Music Stores
- Resorts/Campgrounds
- Seasonal Merchandise
- Shoe Stores/Shoe Repair
- Smoothies/Custard
- Souvenir Stands
- Specialty Food Stores
- Sporting Goods/ Sports Apparel
- Stadiums/Ball Parks
- Stationary & Office Supplies
- Submarine Sandwiches
- Tailors, Mending & Alterations
- Tanning Salon
- Tattoo Parlors
- Theme Parks
- Ticket Offices
- Tobacco Shops
- Used/Second Hand Store
- Variety Stores
- Veterinary Services
- Video Rental
- Women's Apparel

SPT-7650 NCC Reflection POS® Highly Integrated Terminal



Standard Integrated Printer and Integrated Barcode Scanner Option



Optional Integrated VFD Customer Display



Optional Integrated 7" or 9.7" LCD Customer Display (NCC Reflection POS For Windows)



Optional Integrated 15" LCD Customer Display (NCC Reflection POS For Windows)

Options and Upgrades

Configure your system with these easy to add options:

- Integrated VFD Customer Display – 2 Lines x 20 Characters
- Integrated 7", 9.7" or 15" LCD Customer Displays (NCC Reflection For Windows Only)
- Integrated Barcode Scanner
- WiFi Module (NCC Reflection For Windows Only)
- CFast Slot / CFast Disk

- Optional WiFi Module
- Two USB Ports on the Right Side Standard



Specifications

	Embedded	Windows
Processor:	Braswell Intel Celeron N3160 Fanless (Maximum 2.24GHz)	
Cores / Threads:	Quad Core / 4 Threads	
Cache Memory:	2MB	
Display LCD:	True Flat 15" LCD with LED Backlighting	
Resolution:	1024 x 768	
Brightness:	Adjustable Up to 250 cd/m2	
Integrated Speakers:	Integrated 2 Watt Speakers	
Chipset (PCH):	System on Chip	
Touch – Panel:	Projected Capacitive Touch	
Reliability:	Over 100 Million Touches	
MCR:	Integrated USB Interface Triple Track MCR	
Mass Storage Device:	8GB 2.5" Solid State Drive	128GB 2.5" Solid State Drive
Standard O/S:	Not Applicable	POSReady 7
RAM Memory – 2 Slots:	4GB SODIMM DDR3 (1600MHz) Expandable To 8GB	
Video Memory:	Shared System Memory Up To 1.7GB	
Serial Ports:	COM1, COM2 = DB9 With Pin 9 0V/+5V/+12V (User Selectable by BIOS) COM3, COM4 = RJ45 Pin 1 +5V/+12V (Selectable by Jumper) COM6 = RJ45 (VFD Customer Display Port)	
Parallel Port:	One DB-25F	
USB Ports:	6 V2.0 (2 Left Side of screen / 4 Bottom)	
Cash Drawer Port:	RJ12, 12V or 24V Selectable By Jumper (Maximum 2 Drawers – Drawer Compulsion)	
HDMI Port:	One HDMI	
LAN Port:	RJ45 10/100/1000 Base-T (Giga LAN) RealTek RTL8111E	
VGA Port:	One DB15F Display Port For Second LCD (Resolution 2048 x 1536)	
Audio Port:	One Line-In / One Line-Out	
Mic Port:	One Mic-In	
Power Supply – Terminal:	75W, 12V/6.25A 100-240V 50-60Hz Integrated Power Adaptor	
Printer:	60W, 24V/2.5A 100-240V 50-60Hz Integrated Power Adaptor	
Current / Power Usage:	0.28A / 31W (110V Idle Environment)	
Operating Temperature:	32° F to 104° F (0° C to 40° C)	
Footprint:	10-1/2"W x 12"D	
Dimensions:	14"W x 16-7/16"H x 12-3/16"D	
Shipping Weight:	30 lbs. (Including Standard Printer and Card Reader)	
Safety and EMI:	FCC / CE / RoHS	

Connectivity

- A** DC-Out (12V) (For Rear or Remote LCD)
- B** VGA (For Rear or Remote Display)
- C** USB (2)
- D** COM2 (Powered)
- E** LAN
- F** Line-In
- G** Line-Out
- H** Parallel
- I** COM4 (Powered)
- J** COM3 (Powered)
- K** HDMI
- L** COM1 (Powered)
- M** USB (2)
- N** Mic-In
- O** Cash Drawer

